



Guide to NEMA and IEC Enclosure Ratings  
 Application Note #4

**Overview**

There are a number of standards that exist worldwide to define the type and applicability of enclosures. In the United States the National Electrical Manufacturers Association (NEMA) are the most prevalent, worldwide the International Electrotechnical Commission (IEC) standards are most prevalent. Why is there not a single standard to define enclosures and their suitability for various applications?

More information on both of these organizations can be found at the following websites:

NEMA – [www.nema.org](http://www.nema.org) - NEMA Standards Publication 250  
 IEC – [www.iec.ch](http://www.iec.ch) - IEC

This Application Note will discuss in some detail the NEMA standards and then a cross reference the NEMA designations to the IEC standards. Please refer to the appropriate sections of the latest revision of NEMA Standards Publication No. 250 for complete information regarding applications, features and design tests.

**NEMA Definitions Pertaining to Non-Hazardous Locations:**

<b>Type</b>	<b>Description</b>
1	Intended for use primarily to provide a degree of protection against limited amounts of falling dirt.
3	Intended for outdoor use primarily to provide a degree of protection against rain, sleet, windblown dust, and damage from external ice formation.
3R	Intended for outdoor use primarily to provide a degree of protection against rain, sleet, and damage from external ice formation.
3S	Intended for outdoor use primarily to provide a degree of protection against rain, sleet, windblown dust, and to provide for operation of external mechanisms when ice laden.
4	Intended for indoor or outdoor use primarily to provide a degree of protection against windblown dust and rain, splashing water, hose-directed water, and damage from external ice formation.
4X	Intended for indoor or outdoor use primarily to provide a degree of protection against corrosion, windblown dust and rain, splashing water, hose-directed water, and damage from ice formation
6	Intended for indoor or outdoor use primarily to provide a degree of protection against hose-directed water, the entry of water during occasional temporary submersion at a limited depth, and damage from external ice formation.
6P	Intended for indoor or outdoor use primarily to provide a degree of protection against hose-directed water, the entry of water during prolonged submersion at a limited depth, and damage from external ice formation.
12	Intended for indoor use primarily to provide a degree of protection against circulating dust, falling dirt, and dripping non-corrosive liquids.
12K	Type 12 with knockouts.

### **NEMA Definitions Pertaining to Hazardous Locations:**

Type	Description
7	Intended for indoor use in locations classified as Class I, Groups A, B, C, or D, as defined in the National Electrical Code.
8	Intended for indoor or outdoor use in locations classified as Class I, Groups A, B, C, or D, as defined in the National Electrical Code.
9	Intended for indoor use in locations classified as Class II, Groups E, F, or G, as defined in the National Electrical Code.
10	Constructed to meet the applicable requirements of the Mine Safety and Health Administration.

### **IEC Definitions**

The IEC, standard 529, has defined Ingress Protection as a two digit code. The **first digit** describes the degree of protection against access to hazardous parts and ingress of solid objects. The **second digit** designates the Ingress Protection against water. Please refer to the appropriate sections of IEC 529 for complete information regarding applications, features, and design tests.

#### **Protection Against Access to Hazardous Parts (First Digit)**

Number	Description
0	Non-protected
1	Protected against access with back of hand (50 mm)
2	Protected against access with jointed finger (12 mm x 80 mm)
3	Protected against access with a tool (2.5 mm)
4, 5, 6	Protected against access with a wire (1.0 mm)

#### **Protection Against Ingress of Solid Foreign Objects (First Digit)**

Number	Description
0	Non-protected
1	Objects equal or greater than 50mm
2	Objects equal or greater than 12.5mm
3	Objects equal or greater than 2.5mm
4	Objects equal or greater than 1mm
5	Dust protected
6	Dust tight

#### **Protection Against Ingress of Liquids (Second Digit)**

Number	Description
0	Non-protected
1	Water dripping vertically
2	Water dripping, enclosure tilted up to 15°
3	Spraying water, up to 60° angle from vertical

- 4 Splashing water, any direction
- 5 Jetting water, any direction
- 6 Powerful jetting water, any direction
- 7 Temporary immersion in water
- 8 Continuous immersion in water